



????????? - ??? ?????????????? ??? ?????????? - FAIPA

SAFE ?????????????????? POST COLOR
????????? ??? ?????????????? ??? ??? ?????????



faipa[®]
ROME

✉ bbazar@globelife.com
☎ +39 0331 1706328

SAFE ?????????????????? POST COLOR
????????? ??? ?????????????? ??? ??? ?????????

????? ??? ?????????????? ??? ?????????????? ????? ?????????????? ?? ?????????????? ??? ?????????????? ?????????? ??? ?????????? ? ?????????? ?????????????????? ?? ?????? ??? ?????? ?????????????? ??? ?????????? ?????????????? ?? ?????? ?? ?????? ?? ?????? ?? ?????????????? ??? ?????? ?????????????????? ?? ??????????????, ?????? ? ??????????????, ??????????, ?????????? ??? ??????????????, ?? ?????? ?????? idratazione.Indicata ??? ?????????????? ???, ?? ?????????? ??????, ??? ?????????????? ?? ?? ?????????????? ?????? ?????? ?????? ??????, ?????? ??? ?????? ?????? ?????? ?????????????????? ?? ??? ?????????????? ??????.

????????? - ?????? ?????????? ?????????????????? ??? ?????? ?????????? ??????????
????????? ??? ??? ?????????????? ??? ?????????? ?????? ?????? ?????? ??? ??????????????. Compensagli ?????????????????? ?????????????? ?????? ??????????????, ?????????????? ??? ??????????, ?? ?????? ??? ??????????, ?????????????????? ?????????? ??? ??????????. ?????????????? ??? ??? ??????????????, ?? ?????? ??? ??????.

?????? : ??????? ??? 300 ??? 1000 ml

????? ?????????? - ?????? ?????????? ?????????????????? ??? ?????? ?????????? ??????????
?????? ?? ?????????? ?????????????????? ??? ?????????????? ?????????? SAFE PROFESSIONAL.Particolarmente ?????????????? ??? ?????????? ?????????, ?? ?????? ?????? ?????????? ?????? ?????????? ?????????????????? ??? ?????????? ??? ?????????????? ??? ?? ?????????, ??????, ??????????. ?????????????????? ??? ?????????? ?? ?????????? ?????????? ??? ??????????. ?????? ??? ??????, ?????????????????? ??? ??????????????????????????????.

?????? : ?????????? 250 ??? 1000 ml

????????????? LIQUID - ?????????? ??????????
?????? ??? ?????????????????? ?????? ?????????? ??? ?? ?????????????? ??? ?????? ??????????, ??????????????????, ?? ??????????. ?????????????????? ??? ??? ?????????????? ?????????????, ?????????????? ??????????, ?????????? ?????????????? ??? ?????? ?????????????????? ?? ??? ?????????????? ??????. ?????? ?????????? ?? ?????? ?? ?????????????????? ??? ?? ?????? ??? ?? ??????????. ??? ?????? ??????????.

????????? : ??? ?????????????? ?????????? ?????? 100 ml