



????? - ?????? ?? ?? - MEDAVITA

COLORCONTROL - ?????? ???
COLORCONTROL - ?? tecnici ?? ??? ???



MEDAVITA

✉ bbazar@globelife.com
☎ +39 0331 1706328

COLORCONTROL - ?????? ???
COLORCONTROL - ?? tecnici ?? ??? ???

???? ?? ??? ????? ?????? ? ??????? ?? ??? ??? ?????? ? ????? ?? ?? ? ?????? ?? ?? ? ??
?? ?????.

?? MILK ?? pH iperproteico 5.8

??? ?????? ?? ??? ? ?? ?? ?????? ??? ? ?????? ???.
1000 ????? ????? ????

?? ????? COSMETIC pH ????? 5.8

????? ??? ? ??? ? ?? ?? ?????? ?? ??? ????? ??? ?????? ?? .???? ?????? ??? 250 ????? ??????
???? ??? ??? 1000 ????? ????

??? ??? ?? ??? ????? ? ????? ?? ??? ??? ??????????. 250 ????? ????? ????

?? DET. pH ? ??????? ????? 5.5

????? ?????? ??? ?? ?????? ? ?????? ?????? ????? ?????? ?? ?? ?? ?????? ??? ??? . 1000 ????
???? ?????.

?? ????????? DOPOCOLORE pH ????? 3.5

???? ? ?????? ????? ??? ?? ??? ?????? ????? ??????. ??? 7 ????? ????? ?????? 24 ???.

?? ?? ?? pH ??????? 4.5

?????? ??? ?????? ??????? ????? ?????? ??? ??? / ????? ????? ?????? ? ?????.
250 ????? ????? ????